

PRODUCT SPECIFICATION UVEN Disinfection Unit

P/N: 100038



DESCRIPTION

BrainLit UVen is a unique system that uses UV-C lighting to quickly, safely and automatically disinfect both air and surfaces to create a safe and healthy environment.

BrainLit UVen comes in the shape of a troffer designed for standard recessed ceilings. It includes both the UV-C disinfection capabilities and high quality illumination with excellent color rendering, efficacy and flicker properties.

AREAS OF USE

BrainLit UVen safeguards frequently visited closed spaces with high degree of pathogens such as restrooms.

MEASUREMENTS / PACKAGING

Weight (kg)	9,75
Size LxWxH (mm)	595x595x149
Box quantity	1
Boxed size LxWxH (mm)	730x690x228
Boxed weight (kg)	12,8

UV-C PROPERTIES

Light source type	LED
Peak wavelength	260-280 nm
Radiated power	450 mW
Lifetime UVC	10 000 h (L70B50)
Number of disinfections	300 000 à 2 min

LIGHT PROPERTIES

Light source type	LED
LED color temperature	4700K
Color rendering	CRI/Ra >90
Lumen output	2000 lm
Efficacy	110 lm/W
Beam angle	110°
Flicker handling	$P_{st}^{LM} \leq 1$, SVM ≤ 0.4 , IEEE 1789 comp.
Lifetime	0.9 (LLMF 50 000h) >100 000h (L70B50) 50 000h (L90B50)

Typical energy consumption/24h*	0.3 kWh
---------------------------------	---------

*Assuming 20 disinfection cycles.

POWER PROPERTIES

Maximum rated power	115W
Supply voltage range	120-250V
Supply power frequency	50/60Hz

MECHANICAL PROPERTIES

Colors	White
Material	Sheet metal + acrylic + silicone
Configuration	Backlit troffer for drop down ceiling
Mounting	Recessed
IP rating	IP20
Certifications	CE, RoHS

DISINFECTION AND SAFETY PROPERTIES¹⁾

The disinfection efficacy of BrainLit UVEN has been independently verified by the Swedish Defence Research Agency (FOI)². The BrainLit UVEN system utilizes an advanced presence detection system to automatically detect when a zone is unoccupied and the germicidal UV-C radiation can be activated. The exposure is automatically stopped if someone enters the zone. The presence detection and safety mechanisms ensure that human exposure is minimized and well within safe limits.³

2 minute disinfection cycle; UV-C dose 1.4 mJ/cm². This dose corresponds to:

- Inactivation of >90% SARS-CoV-2^{2,4,5}
- Inactivation of >99% E. coli^{6,7}, Salmonella⁶

- 1.) Requires that system configuration and installation follow the BrainLit design manual and installation manual.
- 2.) UVEN disinfection evaluation with SARS-CoV-2 plaque assay, Swedish Defence Research Agency, 2021
- 3.) Threshold Limit Values and Biological Exposure Indices, American Conference of Governmental Industrial Hygienists, 2012
- 4.) Quantitative evaluation of SARS-CoV-2 inactivation using a deep ultraviolet light-emitting diode, Minamikawa, T., Koma, T., Suzuki, A. et al., Sci Rep, 2021
- 5.) UV-LED disinfection of Coronavirus: Wavelength effect, Gerchman, Y., Mamane, H., Friedman, N., Mandelboim, M., J. Photobiology and Photochemistry B: Biology, 2020
- 6.) Fundamental Characteristics of Deep-UV Light-Emitting Diodes and Their Application To Control Foodborne Pathogens, Joo-Yeon Shin, Soo-Ji Kim, Do-Kyun Kim, Dong-Hyun Kang, Food Microbiology, 2015
- 7.) Inactivation of Listeria and E. coli by Deep-UV LED: effect of substrate conditions on inactivation kinetics., Cheng, Y., Chen, H., Sánchez Basurto, L.A. et al., Sci Rep, 2020.
- 8.) Disinfection of Methicillin-Resistant Staphylococcus aureus, Vancomycin-resistant Enterococcus faecium and Acinetobacter baumannii using Klaran WD array system, Richard M. Mariita, Rajul V. Randive, bioRxiv, 2020

UV-C WARNING TEXT

This product emits ultra violet radiation (UV-C) that is harmful to humans. UV-C exposure to the skin or eyes can cause both short-term injury and long-term health effects. Do not use it for other than its intended purpose as described in the manual.

This document contains information that is subject to change without notice. This document is solely intended for, and may only be used for, the purpose of providing luminaire products to the BrainLit Biocentric lighting system. The performance indications for BrainLit products set forth in this document are based on, and conditioned on, the products being used solely in the BrainLit Biocentric lighting system. However, this document shall not be deemed a product warranty, whether express or implied. The BrainLit product warranty is solely contained in the purchase agreement with each customer. This document is subject to BrainLit AB's copyright. No part of this document may be reproduced or transmitted in any form or by any means, or shared with any third party, without the prior written approval of BrainLit AB. BrainLit products may be protected by one or more patents and by copyright and design rights. "BrainLit" and "Biocentric lighting" are registered trademarks of BrainLit AB. This document does not confer upon the recipient a license to any BrainLit intellectual property rights.

